

---

# **azureenergylablerlib Documentation**

***Release 3.2.1***

**Sayantan Khanra**

**Jun 07, 2023**



# CONTENTS

<b>1</b>	<b>azureenergylabelerlib</b>	<b>3</b>
1.1	Development Workflow . . . . .	3
1.2	Important Information . . . . .	4
1.3	Project Features . . . . .	4
<b>2</b>	<b>Installation</b>	<b>5</b>
<b>3</b>	<b>Usage</b>	<b>7</b>
<b>4</b>	<b>Contributing</b>	<b>9</b>
4.1	Submit Feedback . . . . .	9
<b>5</b>	<b>azureenergylabelerlib</b>	<b>11</b>
5.1	azureenergylabelerlib package . . . . .	11
<b>6</b>	<b>Credits</b>	<b>25</b>
6.1	Development Lead . . . . .	25
6.2	Contributors . . . . .	25
<b>7</b>	<b>History</b>	<b>27</b>
<b>8</b>	<b>0.0.1 (22-04-2022)</b>	<b>29</b>
<b>9</b>	<b>0.1.0 (22-06-2022)</b>	<b>31</b>
<b>10</b>	<b>0.2.0 (23-06-2022)</b>	<b>33</b>
<b>11</b>	<b>0.2.1 (23-06-2022)</b>	<b>35</b>
<b>12</b>	<b>1.0.0 (15-09-2022)</b>	<b>37</b>
<b>13</b>	<b>1.1.0 (21-09-2022)</b>	<b>39</b>
<b>14</b>	<b>1.1.1 (22-09-2022)</b>	<b>41</b>
<b>15</b>	<b>2.0.0 (04-10-2022)</b>	<b>43</b>
<b>16</b>	<b>3.0.0 (18-10-2022)</b>	<b>45</b>
<b>17</b>	<b>3.1.0 (07-03-2023)</b>	<b>47</b>
<b>18</b>	<b>3.1.1 (21-03-2023)</b>	<b>49</b>

<b>19</b>	<b>3.2.0 (11-05-2023)</b>	<b>51</b>
<b>20</b>	<b>3.2.1 (07-06-2023)</b>	<b>53</b>
<b>21</b>	<b>Indices and tables</b>	<b>55</b>
	<b>Python Module Index</b>	<b>57</b>
	<b>Index</b>	<b>59</b>

Contents:



# AZUREENERGYLABELERLIB

A python library that generates energy labels based on findings in Azure subscriptions

- Documentation: <https://azureenergylabelerlib.readthedocs.org/en/latest>

## 1.1 Development Workflow

The workflow supports the following steps

- lint
- test
- build
- document
- upload
- graph

These actions are supported out of the box by the corresponding scripts under \_CI/scripts directory with sane defaults based on best practices. Sourcing setup\_aliases.ps1 for windows powershell or setup\_aliases.sh in bash on Mac or Linux will provide with handy aliases for the shell of all those commands prepended with an underscore.

The bootstrap script creates a .venv directory inside the project directory hosting the virtual environment. It uses pipenv for that. It is called by all other scripts before they do anything. So one could simple start by calling \_lint and that would set up everything before it tried to actually lint the project

Once the code is ready to be delivered the \_tag script should be called accepting one of three arguments, patch, minor, major following the semantic versioning scheme. So for the initial delivery one would call

```
$ _tag --minor
```

which would bump the version of the project to 0.1.0 tag it in git and do a push and also ask for the change and automagically update HISTORY.rst with the version and the change provided.

So the full workflow after git is initialized is:

- repeat as necessary (of course it could be test - code - lint :))
  - code
  - lint
  - test
- commit and push
- develop more through the code-lint-test cycle

- tag (with the appropriate argument)
- build
- upload (if you want to host your package in pypi)
- document (of course this could be run at any point)

## 1.2 Important Information

This template is based on pipenv. In order to be compatible with requirements.txt so the actual created package can be used by any part of the existing python ecosystem some hacks were needed. So when building a package out of this **do not** simple call

```
$ python setup.py sdist bdist_egg
```

**as this will produce an unusable artifact with files missing.** Instead use the provided build and upload scripts that create all the necessary files in the artifact.

## 1.3 Project Features

- TODO

---

**CHAPTER  
TWO**

---

## **INSTALLATION**

At the command line:

```
$ pip install azureenergylabelerlib
```

Or, if you have virtualenvwrapper installed:

```
$ mkvirtualenv azureenergylabelerlib
$ pip install azureenergylabelerlib
```

Or, if you are using pipenv:

```
$ pipenv install azureenergylabelerlib
```



---

CHAPTER  
THREE

---

USAGE

To develop on azureenergylabelerlib:

```
# The following commands require pipenv as a dependency

# To lint the project
_CI/scripts/lint.py

# To execute the testing
_CI/scripts/test.py

# To create a graph of the package and dependency tree
_CI/scripts/graph.py

# To build a package of the project under the directory "dist/"
_CI/scripts/build.py

# To see the package version
_CI/scripts/tag.py

# To bump semantic versioning [--major|--minor|--patch]
_CI/scripts/tag.py --major|--minor|--patch

# To upload the project to a pypi repo if user and password are properly provided
_CI/scripts/upload.py

# To build the documentation of the project
_CI/scripts/document.py
```

To use azureenergylabelerlib in a project:

```
from azureenergylabelerlib import Azureenergylabelerlib
azureenergylabelerlib = Azureenergylabelerlib()
```



## CONTRIBUTING

Contributions are welcome, and they are greatly appreciated! Every little bit helps, and credit will always be given.

### 4.1 Submit Feedback

If you are proposing a feature:

- Explain in detail how it would work.
- Keep the scope as narrow as possible, to make it easier to implement.

#### 4.1.1 Get Started!

Ready to contribute? Here's how to set up *azureenergylabelerlib* for local development. Using of pipenv is highly recommended.

1. Clone your fork locally:

```
$ git clone https://github.com/schubergphilis/azureenergylabelerlib
```

2. Install your local copy into a virtualenv. Assuming you have pipenv installed, this is how you set up your clone for local development:

```
$ cd azureenergylabelerlib/  
$ pipenv install --ignore-pipfile
```

3. Create a branch for local development:

```
$ git checkout -b name-of-your-bugfix-or-feature
```

Now you can make your changes locally. Do your development while using the CI capabilities and making sure the code passes lint, test, build and document stages.

4. Commit your changes and push your branch to the server:

```
$ git add .  
$ git commit -m "Your detailed description of your changes."  
$ git push origin name-of-your-bugfix-or-feature
```

5. Submit a merge request



## AZUREENERGYLABELERLIB

### 5.1 `azureenergylabelerlib` package

#### 5.1.1 Submodules

#### 5.1.2 `azureenergylabelerlib.azureenergylabelerlib` module

Main code for `azureenergylabelerlib`.

```
class azureenergylabelerlib.azureenergylabelerlib.AzureEnergyLabeler(tenant_id,
    frameworks={'Azure CIS
1.1.0', 'Microsoft cloud
security benchmark'}, tenant_thresholds=[{'label':
'A', 'percentage': 90}, {'label': 'B', 'percentage':
70}, {'label': 'C',
'percentage': 50}, {'label': 'D', 'percentage': 30},
{'label': 'E', 'percentage':
20}], re-
source_group_thresholds=[{'label':
'A', 'high': 0, 'medium':
10, 'low': 20,
'days_open_less_than':
999}, {'label': 'B', 'high':
10, 'medium': 20, 'low':
40,
'days_open_less_than':
999}, {'label': 'C', 'high':
15, 'medium': 30, 'low':
60,
'days_open_less_than':
999}, {'label': 'D', 'high':
20, 'medium': 40, 'low':
80,
'days_open_less_than':
999}, {'label': 'E', 'high':
25, 'medium': 50, 'low':
100,
'days_open_less_than':
999}], subscrip-
tion_thresholds=[{'label':
'A', 'high': 0, 'medium':
10, 'low': 20,
'days_open_less_than':
999}, {'label': 'B', 'high':
10, 'medium': 20, 'low':
40,
'days_open_less_than':
999}, {'label': 'C', 'high':
15, 'medium': 30, 'low':
60,
'days_open_less_than':
999}, {'label': 'D', 'high':
20, 'medium': 40, 'low':
80,
'days_open_less_than':
999}, {'label': 'E', 'high':
25, 'medium': 50, 'low':
100,
'days_open_less_than':
999}], credentials=None,
al-
lowed_subscription_ids=None,
denied_subscription_ids=None)
```

Bases: `object`

Labeling subscriptions based on findings and label configurations.

#### Parameters

- **tenant\_id** (`str`) – Azure Tenant ID to collect energy label, for example: `18d9dec0-d762-11ec-9cb5-00155da09878`.
- **frameworks** (`set[str]`) – Frameworks taken into account when generating the energy label. Defaults to `DEFAULT_DEFENDER_FOR_CLOUD_FRAMEWORKS`
- **tenant\_thresholds** (`list[dict[str, Any]]`) – Defines percentage thresholds mapping to energy labels for the tenant. Defaults to `TENANT_THRESHOLDS`
- **resource\_group\_thresholds** (`list[dict[str, Any]]`) – Defines percentage thresholds mapping to energy labels for resource groups. Defaults to `RESOURCE_GROUP_THRESHOLDS`
- **subscription\_thresholds** (`list[dict[str, Any]]`) – Defines percentage thresholds mapping to energy labels for resource groups. Defaults to `SUBSCRIPTION_THRESHOLDS`
- **credentials** (`Any`) – One of `identity` Credential object containing the credentials used to access the Azure API. If not supplied, the library will create a `DefaultAzureCredential` and attempt to authenticate in the following order: 1. A service principal configured by environment variables. See `EnvironmentCredential`

for more details.

2. An Azure managed identity. See `ManagedIdentityCredential` for more details.
3. **On Windows only: a user who has signed in with a Microsoft application, such as Visual Studio. If multiple**  
identities are in the cache, then the value of the environment variable `AZURE_USERNAME` is used to select which identity to use. See `SharedTokenCacheCredential` for more details.
4. The user currently signed in to Visual Studio Code.
5. The identity currently logged in to the Azure CLI.
6. The identity currently logged in to Azure PowerShell.

- **allowed\_subscription\_ids** (`Any`) – Inclusion list of subscriptions to be evaluated
- **denied\_subscription\_ids** (`Any`) – Exclude list of subscriptions to be evaluated

#### `property defender_for_cloud`

Defender for cloud.

#### `property defender_for_cloud_findings`

Defender for cloud findings.

#### `property filtered_defender_for_cloud_findings`

Filtered defender for cloud findings.

#### `property labeled_subscriptions_energy_label`

Energy label of the labeled subscriptions.

#### `property matching_frameworks`

The frameworks provided to match the findings of.

**property tenant**

Tenant.

**property tenant\_energy\_label**

Energy label of the Azure Tenant.

**property tenant\_labeled\_subscriptions**

The tenant labeled subscription objects.

### 5.1.3 azureenergylabellerlib.azureenergylabellerlibexceptions module

Custom exception code for azureenergylabellerlib.

**exception** `azureenergylabellerlib.azureenergylabellerlibexceptions.InvalidCredentials`

Bases: `Exception`

Credentials provided are not valid.

**exception** `azureenergylabellerlib.azureenergylabellerlibexceptions.InvalidFrameworks`

Bases: `Exception`

The frameworks provided are not valid.

**exception** `azureenergylabellerlib.azureenergylabellerlibexceptions.InvalidPath`

Bases: `Exception`

The path provided is not valid.

**exception**

`azureenergylabellerlib.azureenergylabellerlibexceptions.InvalidSubscriptionListProvided`

Bases: `Exception`

The list of subscriptions provided are not valid Azure subscriptions.

**exception**

`azureenergylabellerlib.azureenergylabellerlibexceptions.MutuallyExclusiveArguments`

Bases: `Exception`

The arguments provided are mutually exclusive and only one of the should be provided.

**exception**

`azureenergylabellerlib.azureenergylabellerlibexceptions.SubscriptionNotPartOfTenant`

Bases: `Exception`

If subscription ids are provided but are not part of the tenant.

### 5.1.4 azureenergylabellerlib.configuration module

configuration package.

Import all parts from configuration here .. \_Google Python Style Guide:

<https://google.github.io/styleguide/pyguide.html>

### 5.1.5 azureenergylabelerlib.datamodels module

Main code for datamodels.

```
class azureenergylabelerlib.datamodels.DefenderForCloudFindingsData(filename, de-
fender_for_cloud_findings)
```

Bases: object

Models the data for energy labeling to export.

**property json**

Data to json.

```
class azureenergylabelerlib.datamodels.LabeledResourceGroupData(filename,
labeled_resource_group_data,
defender_for_cloud_findings)
```

Bases: object

Models the data for energy labeling to export.

**property data**

Data of an subscription to export.

**property json**

Data to json.

```
class azureenergylabelerlib.datamodels.LabeledResourceGroupsData(filename,
labeled_subscriptions,
defender_for_cloud_findings)
```

Bases: object

Models the data for energy labeling to export.

**property json**

Data to json.

```
class azureenergylabelerlib.datamodels.LabeledSubscriptionData(filename, labeled_subscription,
defender_for_cloud_findings)
```

Bases: object

Models the data for energy labeling to export.

**property data**

Data of an subscription to export.

**property json**

Data to json.

```
class azureenergylabelerlib.datamodels.LabeledSubscriptionsData(filename, labeled_subscriptions,
defender_for_cloud_findings)
```

Bases: object

Models the data for energy labeling to export.

**property json**

Data to json.

```
class azureenergylabelerlib.datamodels.SubscriptionExemptedPolicies(filename,
                                                                     labeled_subscriptions)
```

Bases: object

Models the data for exempted policies to export.

**property data**

Data of an subscription exempted policies to export.

**property json**

Data to json.

```
class azureenergylabelerlib.datamodels.TenantEnergyLabelingData(filename, id, energy_label,
                                                               labeled_subscriptions,
                                                               defender_for_cloud_findings)
```

Bases: object

Models the data for energy labeling to export.

**property json**

Data to json.

## 5.1.6 azureenergylabelerlib.entities module

Main code for entities.

```
class azureenergylabelerlib.entities.DataExporter(export_types, id, energy_label,
                                                 defender_for_cloud_findings,
                                                 labeled_subscriptions, credentials=None)
```

Bases: object

Export Azure security data.

**export(path)**

Exports the data to the provided path.

```
class azureenergylabelerlib.entities.DataFileFactory(export_type, id, energy_label,
                                                       defender_for_cloud_findings,
                                                       labeled_subscriptions)
```

Bases: object

Data export factory to handle the different data types returned.

```
class azureenergylabelerlib.entities.DefenderForCloud(credential, subscription_list)
```

Bases: object

Models the Defender for Cloud and retrieves findings.

```
frameworks = {'Azure CIS 1.1.0', 'Microsoft cloud security benchmark'}
```

**get\_findings(frameworks)**

Filters provided findings by the provided frameworks.

**Parameters**

**frameworks** – The frameworks to filter for

**Returns**

A list of findings matching the provided frameworks

**Return type**

findings (list(Findings))

**static validate\_frameworks(*frameworks*)**

Validates provided frameworks.

**Parameters**

**frameworks** – One or more of the frameworks to validate according to an accepted list.

**Returns**

True if frameworks are valid False otherwise.

**class azureenergylabelerlib.entities.EnergyLabeler(*object\_type*, *name*, *findings*, *threshold*)**

Bases: object

Generic EnergyLabel factory to return energy label for resource groups and subscriptions.

**property energy\_label**

Energy Label for the subscription or resource group.

**class azureenergylabelerlib.entities.Finding(*data*)**

Bases: object

Models a finding.

**property azure\_portal\_recommendation\_link**

Azure portal recommendation link Steps.

**property compliance\_control\_id**

Compliance control id.

**property compliance\_standard\_id**

Compliance standard id.

**property compliance\_state**

Compliance state.

**property control\_name**

Control Name.

**property days\_open**

Days open.

**property description**

Finding Description.

**property first\_evaluation\_date**

First Evaluation Date.

**property is\_skipped**

The finding is skipped or not.

**property not\_applicable\_reason**

Control Name.

**property recommendation\_display\_name**

Recommendation Display Name.

**property recommendation\_id**

Recommendation Id.

```
property recommendation_name
    Recommendation Name.

property remediation_steps
    Remediation Steps.

property resource_group
    Resource group name.

property resource_id
    Resource name.

property resource_name
    Resource name.

property resource_type
    Resource type.

property severity
    Severity.

property state
    Title.

property status_change_date
    Status Change Date.

property subscription_id
    Subscription id.

class azureenergylabellerlib.entities.FindingParserLabeler
Bases: object

    static exclude_findings_by_state(findings, states)
        Returns findings excluding those with specific states.

    static get_not_skipped_findings(findings)
        Not skipped findings for the subscription.

class azureenergylabellerlib.entities.ResourceGroup(data)
Bases: FindingParserLabeler

    Models the Azure subscription's resource group that can label itself.

    get_energy_label(findings, states=('notapplicable', 'healthy'))
        Calculates the energy label for the resource group.

            Parameters
                • findings – Either a list of defender for cloud findings.
                • states – The states to filter findings out for.

            Returns
                The energy label of the resource group based on the provided configuration.

    get_open_findings(findings)
        Findings for the resource group.
```

**property location**

location.

**property name**

name.

**class** azureenergylabelerlib.entities.Subscription(*credential, data*)Bases: *FindingParserLabeler*

Models the Azure subscription that can label itself.

**property display\_name**

display\_name.

**property exempted\_policies**

Policies exempted for this subscription.

**get\_energy\_label**(*findings, states=('notapplicable', 'healthy')*)

Calculates the energy label for the Subscription.

**Parameters**

- **findings** – Either a list of defender for cloud findings.
- **states** – The states to filter findings out for.

**Returns**

The energy label of the resource group based on the provided configuration.

**get\_open\_findings**(*findings*)

Findings for the resource group.

**property resource\_groups**

Resource groups of this subscription.

**property state**

State of the subscription.

**property subscription\_id**

Subscription id.

**property tenant\_id**

Tenant id.

```
class azureenergylabelerlib.entities.Tenant(credential, tenant_id, thresholds=[{'label': 'A', 'percentage': 90}, {'label': 'B', 'percentage': 70}, {'label': 'C', 'percentage': 50}, {'label': 'D', 'percentage': 30}, {'label': 'E', 'percentage': 20}], subscription_thresholds=[{'label': 'A', 'high': 0, 'medium': 10, 'low': 20, 'days_open_less_than': 999}, {'label': 'B', 'high': 10, 'medium': 20, 'low': 40, 'days_open_less_than': 999}, {'label': 'C', 'high': 15, 'medium': 30, 'low': 60, 'days_open_less_than': 999}, {'label': 'D', 'high': 20, 'medium': 40, 'low': 80, 'days_open_less_than': 999}, {'label': 'E', 'high': 25, 'medium': 50, 'low': 100, 'days_open_less_than': 999}], resource_group_thresholds=[{'label': 'A', 'high': 0, 'medium': 10, 'low': 20, 'days_open_less_than': 999}, {'label': 'B', 'high': 10, 'medium': 20, 'low': 40, 'days_open_less_than': 999}, {'label': 'C', 'high': 15, 'medium': 30, 'low': 60, 'days_open_less_than': 999}, {'label': 'D', 'high': 20, 'medium': 40, 'low': 80, 'days_open_less_than': 999}, {'label': 'E', 'high': 25, 'medium': 50, 'low': 100, 'days_open_less_than': 999}], allowed_subscription_ids=None, denied_subscription_ids=None)
```

Bases: object

Models the Azure tenant and retrieves subscriptions from it.

#### **get\_allowed\_subscriptions()**

Retrieves allowed subscriptions based on an allow list.

##### **Returns**

The list of subscriptions based on the allowed list.

#### **get\_energy\_label(defender\_for\_cloud\_findings)**

Calculates and returns the energy label of the Tenant.

##### **Parameters**

**defender\_for\_cloud\_findings** – The measurement data of all the findings for a tenant.

##### **Returns**

The labeling object of the Tenant.

##### **Return type**

energy\_label (*TenantEnergyLabel*)

#### **get\_energy\_label\_of\_targeted\_subscriptions(defender\_for\_cloud\_findings)**

Get the energy label of the targeted subscriptions.

##### **Parameters**

**defender\_for\_cloud\_findings** – The findings from defender for cloud.

##### **Returns**

The energy label of the targeted subscriptions.

##### **Return type**

energy\_label (str)

#### **get\_labeled\_targeted\_subscriptions(defender\_for\_cloud\_findings)**

Labels the subscriptions based on the allow and deny list provided.

**Parameters****defender\_for\_cloud\_findings** – The findings for a Tenant.**Returns**

A list of Azure Subscriptions objects that have their labels calculated.

**Return type**

labeled\_subscriptions (list)

**get\_not\_denied\_subscriptions()**

Retrieves denied subscriptions based on an denied list.

**Returns**

The list of subscriptions based on the denied list.

**property subscriptions**

Subscriptions of the Tenant.

**Returns**

List of subscriptions retrieved

**property subscriptions\_to\_be\_labeled**

Subscriptions to be labeled according to the allow or deny list arguments.

**Returns**

A list of subscriptions to be labeled.

**Return type**

subscription (list)

## 5.1.7 azureenergylabelerlib.labels module

Main code for labels.

**class** azureenergylabelerlib.labels.**AggregateEnergyLabel**(*label*: str, *best\_label*: str, *worst\_label*: str)

Bases: object

Models an energy label averaging multiple subscription labels.

**best\_label**: str**label**: str**worst\_label**: str**class** azureenergylabelerlib.labels.**AggregateSubscriptionEnergyLabel**(*label*: str, *best\_label*: str, *worst\_label*: str, *subscriptions\_measured*: str)Bases: *AggregateEnergyLabel*

Models the landing zone energy label.

**subscriptions\_measured**: str**class** azureenergylabelerlib.labels.**ResourceGroupEnergyLabel**(*label*: str = 'F', *number\_of\_high\_findings*: int = 9999, *number\_of\_medium\_findings*: int = 9999, *number\_of\_low\_findings*: int = 9999, *max\_days\_open*: int = 9999)

Bases: object

Models the resource group energy label.

**label:** str = 'F'

**max\_days\_open:** int = 9999

**number\_of\_high\_findings:** int = 9999

**number\_of\_low\_findings:** int = 9999

**number\_of\_medium\_findings:** int = 9999

```
class azureenergylabellerlib.labels.SubscriptionEnergyLabel(label: str = 'F',
                                                               number_of_high_findings: int = 9999,
                                                               number_of_medium_findings: int =
                                                               9999, number_of_low_findings: int =
                                                               9999, max_days_open: int = 9999)
```

Bases: object

Models the subscription energy label.

**label:** str = 'F'

**max\_days\_open:** int = 9999

**number\_of\_high\_findings:** int = 9999

**number\_of\_low\_findings:** int = 9999

**number\_of\_medium\_findings:** int = 9999

```
class azureenergylabellerlib.labels.TenantEnergyLabel(label: str, best_label: str, worst_label: str,
                                                       coverage: str)
```

Bases: *AggregateEnergyLabel*

Models the landing zone energy label.

**coverage:** str

## 5.1.8 azureenergylabellerlib.schemas module

schemas package.

Import all parts from schemas here .. \_Google Python Style Guide:

<https://google.github.io/styleguide/pyguide.html>

## 5.1.9 azureenergylabelerlib.validations module

Main code for validations.

`class azureenergylabelerlib.validations.DestinationPath(location)`

Bases: object

Models a destination path and identifies if it is valid and it's type.

`is_valid()`

Is the path valid.

`property type`

The type of the path.

`azureenergylabelerlib.validations.are_valid_subscription_ids(subscription_ids)`

Checks whether a provided list of subscription ids contains all valid Azure subscription ids.

**Parameters**

`subscription_ids (list)` – A list of subscription id strings.

**Returns**

True if the provided list contains all valid Azure subscription ids, false otherwise.

`azureenergylabelerlib.validations.is_valid_subscription_id(subscription_id)`

Checks whether a provided subscription\_id is a valid Azure subscription id.

**Parameters**

`subscription_id (str)` – A subscription id string.

**Returns**

True if the provided value is a valid Azure subscription id, false otherwise.

`azureenergylabelerlib.validations.validate_allowed_denied_subscription_ids(allowed_subscription_ids=None, denied_subscription_ids=None)`

Validates provided allow and deny subscription id lists.

Not both arguments can contain values as they are logically mutually exclusive. The validations process also validates that the arguments contain valid subscription id values if provided.

**Parameters**

- `allowed_subscription_ids (str/iterable)` – A single or multiple subscription id to validate, mutually exclusive with the deny list
- `denied_subscription_ids (str/iterable)` – A single or multiple subscription id to validate, mutually exclusive with the allow list

**Returns**

A tuple of list values with valid subscription ids

**Return type**

`allowed_subscription_ids, denied_subscription_ids`

**Raises**

- `MutuallyExclusiveArguments` – If both arguments contain values.
- `InvalidSubscriptionListProvided` – If any of the provided ids in the list is not a valid subscription id.

`azureenergylabelerlib.validations.validate_subscription_ids(subscription_ids)`

Validates a provided string or iterable that it contains valid Azure subscription ids.

**Parameters**

**subscription\_ids** – A string or iterable of strings with Azure subscription ids.

**Returns**

A list of valid Azure subscription ids.

**Return type**

subscription\_ids (list)

**Raises**

**InvalidSubscriptionIdProvided** – If any of the provided Subscription ids is not a valid Azure subscription id.

### 5.1.10 Module contents

azureenergylabelerlib package.

Import all parts from azureenergylabelerlib here

---

**CHAPTER  
SIX**

---

**CREDITS**

## **6.1 Development Lead**

- Sayantan Khanra <[skhanra@schubergphilis.com](mailto:skhanra@schubergphilis.com)>

## **6.2 Contributors**

None yet. Why not be the first?



---

**CHAPTER  
SEVEN**

---

**HISTORY**



---

**CHAPTER  
EIGHT**

---

**0.0.1 (22-04-2022)**

- First code creation



---

**CHAPTER  
NINE**

---

**0.1.0 (22-06-2022)**

- First release



---

**CHAPTER  
TEN**

---

**0.2.0 (23-06-2022)**

- First Release



---

CHAPTER  
**ELEVEN**

---

**0.2.1 (23-06-2022)**

- Changed export all parameter



---

CHAPTER  
**TWELVE**

---

**1.0.0 (15-09-2022)**

- – Removed pandas dependency in favor of native python functionality
- – Added support for SAS URLs to export results to a Storage Account
- – Fixed a bug where open days would show as 9999 for subscriptions scoring an A
- – Fixed a typo on the exempted findings json file



---

CHAPTER  
**THIRTEEN**

---

**1.1.0 (21-09-2022)**

- Added more information to the –export-metrics option output



---

**CHAPTER  
FOURTEEN**

---

**1.1.1 (22-09-2022)**

- Fixed a bug where Resource Groups lack the exempted\_findings property



---

**CHAPTER  
FIFTEEN**

---

**2.0.0 (04-10-2022)**

- Removed ExemptedPolicy class



---

CHAPTER  
**SIXTEEN**

---

**3.0.0 (18-10-2022)**

- Microsoft renamed “Azure Security Benchmark” to “Microsoft cloud security benchmark”, changing the interface



---

CHAPTER  
**SEVENTEEN**

---

**3.1.0 (07-03-2023)**

- Bump dependencies.



---

CHAPTER  
**EIGHTEEN**

---

**3.1.1 (21-03-2023)**

- Check subscription tenant id on Tenant init



---

CHAPTER  
**NINETEEN**

---

**3.2.0 (11-05-2023)**

- Improved how findings are filtered



---

CHAPTER  
**TWENTY**

---

**3.2.1 (07-06-2023)**

- Fixed pagination
- Fixed typos



---

CHAPTER  
**TWENTYONE**

---

**INDICES AND TABLES**

- genindex
- modindex
- search



## PYTHON MODULE INDEX

### a

azureenergylabelerlib, [24](#)  
azureenergylabelerlib.azureenergylabelerlib,  
    [11](#)  
azureenergylabelerlib.azureenergylabelerlibexceptions,  
    [14](#)  
azureenergylabelerlib.configuration, [14](#)  
azureenergylabelerlib.datamodels, [15](#)  
azureenergylabelerlib.entities, [16](#)  
azureenergylabelerlib.labels, [21](#)  
azureenergylabelerlib.schemas, [22](#)  
azureenergylabelerlib.validations, [23](#)



# INDEX

## A

AggregateEnergyLabel (*class in azureenergylabelerlib.labels*), 21  
AggregateSubscriptionEnergyLabel (*class in azureenergylabelerlib.labels*), 21  
are\_valid\_subscription\_ids() (*in module azureenergylabelerlib.validations*), 23  
azure\_portal\_recommendation\_link (*azureenergylabelerlib.entities.Finding property*), 17  
AzureEnergyLabeler (*class in azureenergylabelerlib.azureenergylabelerlib*), 11  
azureenergylabelerlib  
    *module*, 24  
azureenergylabelerlib.azureenergylabelerlib  
    *module*, 11  
azureenergylabelerlib.azureenergylabelerlibexceptions  
    *module*, 14  
azureenergylabelerlib.configuration  
    *module*, 14  
azureenergylabelerlib.datamodels  
    *module*, 15  
azureenergylabelerlib.entities  
    *module*, 16  
azureenergylabelerlib.labels  
    *module*, 21  
azureenergylabelerlib.schemas  
    *module*, 22  
azureenergylabelerlib.validations  
    *module*, 23

## B

best\_label (*azureenergylabelerlib.labels.AggregateEnergyLabel attribute*), 21

## C

compliance\_control\_id (*azureenergylabelerlib.entities.Finding property*), 17  
compliance\_standard\_id (*azureenergylabelerlib.entities.Finding property*), 17  
compliance\_state (*azureenergylabelerlib.entities.Finding property*), 17

control\_name (*azureenergylabelerlib.entities.Finding property*), 17  
coverage (*azureenergylabelerlib.labels.TenantEnergyLabel attribute*), 22

## D

data (*azureenergylabelerlib.datamodels.LabeledResourceGroupData property*), 15  
data (*azureenergylabelerlib.datamodels.LabeledSubscriptionData property*), 15  
data (*azureenergylabelerlib.datamodels.SubscriptionExemptedPolicies property*), 16  
DataExporter (*class in azureenergylabelerlib.entities*), 16

DataFileFactory (*class in azureenergylabelerlib.entities*), 16

days\_open (*azureenergylabelerlib.entities.Finding property*), 17

defender\_for\_cloud (*azureenergylabelerlib.azureenergylabelerlib.AzureEnergyLabeler property*), 13

defender\_for\_cloud\_findings (*azureenergylabelerlib.azureenergylabelerlib.AzureEnergyLabeler property*), 13

DefenderForCloud (*class in azureenergylabelerlib.entities*), 16

DefenderForCloudFindingsData (*class in azureenergylabelerlib.datamodels*), 15

description (*azureenergylabelerlib.entities.Finding property*), 17

DestinationPath (*class in azureenergylabelerlib.validations*), 23

display\_name (*azureenergylabelerlib.entities.Subscription property*), 19

## E

energy\_label (*azureenergylabelerlib.entities.EnergyLabeler property*), 17

EnergyLabeler ( <i>class in azureenergylabelerlib.entities</i> ), 17	InvalidSubscriptionListProvided, 14
exclude_findings_by_state() ( <i>azureenergylabelerlib.entities.FindingParserLabeler static method</i> ), 18	is_skipped ( <i>azureenergylabelerlib.entities.Finding property</i> ), 17
exempted_policies ( <i>azureenergylabelerlib.entities.Subscription property</i> ), 19	is_valid() ( <i>azureenergylabelerlib.validations.DestinationPath method</i> ), 23
export() ( <i>azureenergylabelerlib.entities.DataExporter method</i> ), 16	is_valid_subscription_id() ( <i>in module azureenergylabelerlib.validations</i> ), 23
<b>F</b>	
filtered_defender_for_cloud_findings ( <i>azureenergylabelerlib.azureenergylabelerlib.AzureEnergyLabeler property</i> ), 13	json ( <i>azureenergylabelerlib.datamodels.DefenderForCloudFindingsData property</i> ), 15
Finding ( <i>class in azureenergylabelerlib.entities</i> ), 17	json ( <i>azureenergylabelerlib.datamodels.LabeledResourceGroupData property</i> ), 15
FindingParserLabeler ( <i>class in azureenergylabelerlib.entities</i> ), 18	json ( <i>azureenergylabelerlib.datamodels.LabeledResourceGroupsData property</i> ), 15
first_evaluation_date ( <i>azureenergylabelerlib.entities.Finding property</i> ), 17	json ( <i>azureenergylabelerlib.datamodels.LabeledSubscriptionData property</i> ), 15
frameworks ( <i>azureenergylabelerlib.entities.DefenderForCloud attribute</i> ), 16	json ( <i>azureenergylabelerlib.datamodels.LabeledSubscriptionsData property</i> ), 15
<b>G</b>	
get_allowed_subscriptions() ( <i>azureenergylabelerlib.entities.Tenant method</i> ), 20	json ( <i>azureenergylabelerlib.datamodels.SubscriptionExemptedPolicies property</i> ), 16
get_energy_label() ( <i>azureenergylabelerlib.entities.ResourceGroup method</i> ), 18	json ( <i>azureenergylabelerlib.datamodels.TenantEnergyLabelingData property</i> ), 16
get_energy_label() ( <i>azureenergylabelerlib.entities.Subscription method</i> ), 19	
get_energy_label() ( <i>azureenergylabelerlib.entities.Tenant method</i> ), 20	
get_energy_label_of_targeted_subscriptions() ( <i>azureenergylabelerlib.entities.Tenant method</i> ), 20	
get_findings() ( <i>azureenergylabelerlib.entities.DefenderForCloud method</i> ), 16	<b>L</b>
get_labeled_targeted_subscriptions() ( <i>azureenergylabelerlib.entities.Tenant method</i> ), 20	label ( <i>azureenergylabelerlib.labels.AggregateEnergyLabel attribute</i> ), 21
get_not_denied_subscriptions() ( <i>azureenergylabelerlib.entities.Tenant method</i> ), 21	label ( <i>azureenergylabelerlib.labels.ResourceGroupEnergyLabel attribute</i> ), 22
get_not_skipped_findings() ( <i>azureenergylabelerlib.entities.FindingParserLabeler static method</i> ), 18	label ( <i>azureenergylabelerlib.labels.SubscriptionEnergyLabel attribute</i> ), 22
get_open_findings() ( <i>azureenergylabelerlib.entities.ResourceGroup method</i> ), 18	labeled_subscriptions_energy_label ( <i>azureenergylabelerlib.azureenergylabelerlib.AzureEnergyLabeler property</i> ), 13
get_open_findings() ( <i>azureenergylabelerlib.entities.Subscription method</i> ), 19	LabeledResourceGroupData ( <i>class in azureenergylabelerlib.datamodels</i> ), 15
<b>I</b>	
InvalidCredentials, 14	LabeledResourceGroupsData ( <i>class in azureenergylabelerlib.datamodels</i> ), 15
InvalidFrameworks, 14	LabeledSubscriptionData ( <i>class in azureenergylabelerlib.datamodels</i> ), 15
InvalidPath, 14	LabeledSubscriptionsData ( <i>class in azureenergylabelerlib.datamodels</i> ), 15

<b>location</b>	( <i>azureenergylabelerlib.entities.ResourceGroup</i> property), 18	<b>recommendation_id</b>	( <i>azureenergylabelerlib.entities.Finding</i> property), 17
<b>M</b>		<b>recommendation_name</b>	( <i>azureenergylabelerlib.entities.Finding</i> property), 17
<b>matching_frameworks</b>	( <i>azureenergylabelerlib.azureenergylabelerlib.AzureEnergyLabeler</i> property), 13	<b>remediation_steps</b>	( <i>azureenergylabelerlib.labels.ResourceGroupEnergyLabel</i> attribute), 18
<b>max_days_open</b>	( <i>azureenergylabelerlib.labels.ResourceGroupEnergyLabel</i> attribute), 22	<b>resource_group</b>	( <i>azureenergylabelerlib.entities.Finding</i> property), 18
<b>max_days_open</b>	( <i>azureenergylabelerlib.labels.SubscriptionEnergyLabel</i> attribute), 22	<b>resource_groups</b>	( <i>azureenergylabelerlib.entities.Subscription</i> property), 19
<b>module</b>		<b>resource_id</b>	( <i>azureenergylabelerlib.entities.Finding</i> property), 18
<i>azureenergylabelerlib</i> , 24		<b>resource_name</b>	( <i>azureenergylabelerlib.entities.Finding</i> property), 18
<i>azureenergylabelerlib.azureenergylabelerlib</i> , 11		<b>resource_type</b>	( <i>azureenergylabelerlib.entities.Finding</i> property), 18
<i>azureenergylabelerlib.azureenergylabelerlib</i> , 14		<b>ResourceGroup</b>	(class in <i>azureenergylabelerlib.entities</i> ), 18
<i>azureenergylabelerlib.configuration</i> , 14		<b>ResourceGroupExceptions</b>	(class in <i>azureenergylabelerlib.entities</i> ), 18
<i>azureenergylabelerlib.datamodels</i> , 15		<b>ResourceGroupEnergyLabel</b>	(class in <i>azureenergylabelerlib.labels</i> ), 21
<i>azureenergylabelerlib.entities</i> , 16		<b>S</b>	
<i>azureenergylabelerlib.labels</i> , 21		<b>severity</b>	( <i>azureenergylabelerlib.entities.Finding</i> property), 18
<i>azureenergylabelerlib.schemas</i> , 22		<b>state</b>	( <i>azureenergylabelerlib.entities.Finding</i> property), 18
<i>azureenergylabelerlib.validations</i> , 23		<b>state</b>	( <i>azureenergylabelerlib.entities.Subscription</i> property), 19
<b>MutuallyExclusiveArguments</b> , 14		<b>status_change_date</b>	( <i>azureenergylabelerlib.entities.Finding</i> property), 18
<b>N</b>		<b>Subscription</b>	(class in <i>azureenergylabelerlib.entities</i> ), 19
<b>name</b>	( <i>azureenergylabelerlib.entities.ResourceGroup</i> property), 19	<b>subscription_id</b>	( <i>azureenergylabelerlib.entities.Finding</i> property), 18
<b>not_applicable_reason</b>	( <i>azureenergylabelerlib.entities.Finding</i> property), 17	<b>subscription_id</b>	( <i>azureenergylabelerlib.entities.Subscription</i> property), 19
<b>number_of_high_findings</b>	( <i>azureenergylabelerlib.labels.ResourceGroupEnergyLabel</i> attribute), 22	<b>SubscriptionEnergyLabel</b>	(class in <i>azureenergylabelerlib.labels</i> ), 22
<b>number_of_high_findings</b>	( <i>azureenergylabelerlib.labels.SubscriptionEnergyLabel</i> attribute), 22	<b>SubscriptionExemptedPolicies</b>	(class in <i>azureenergylabelerlib.datamodels</i> ), 15
<b>number_of_low_findings</b>	( <i>azureenergylabelerlib.labels.ResourceGroupEnergyLabel</i> attribute), 22	<b>SubscriptionNotPartOfTenant</b>	, 14
<b>number_of_low_findings</b>	( <i>azureenergylabelerlib.labels.SubscriptionEnergyLabel</i> attribute), 22	<b>subscriptions</b>	( <i>azureenergylabelerlib.entities.Tenant</i> property), 21
<b>number_of_medium_findings</b>	( <i>azureenergylabelerlib.labels.ResourceGroupEnergyLabel</i> attribute), 22	<b>subscriptions_measured</b>	( <i>azureenergylabelerlib.labels.AggregateSubscriptionEnergyLabel</i> attribute), 21
<b>number_of_medium_findings</b>	( <i>azureenergylabelerlib.labels.SubscriptionEnergyLabel</i> attribute), 22	<b>subscriptions_to_be_labeled</b>	( <i>azureenergylabelerlib.entities.Tenant</i> property), 21
<b>R</b>		<b>T</b>	
<b>recommendation_display_name</b>	( <i>azureenergylabelerlib.entities.Finding</i> property), 17	<b>tenant</b>	( <i>azureenergylabelerlib.azureenergylabelerlib.AzureEnergyLabeler</i> property), 13
		<b>Tenant</b>	(class in <i>azureenergylabelerlib.entities</i> ), 19

`tenant_energy_label` (*azureenergylabelerlib.azureenergylabelerlib.AzureEnergyLabeler property*), 14  
`tenant_id` (*azureenergylabelerlib.entities.Subscription property*), 19  
`tenant_labeled_subscriptions`  
    (*azureenergylabelerlib.azureenergylabelerlib.AzureEnergyLabeler property*), 14  
`TenantEnergyLabel` (*class in azureenergylabelerlib.labels*), 22  
`TenantEnergyLabelingData` (*class in azureenergylabelerlib.datamodels*), 16  
`type` (*azureenergylabelerlib.validations.DestinationPath property*), 23

## V

`validate_allowed_denied_subscription_ids()`  
    (*in module azureenergylabelerlib.validations*), 23  
`validate_frameworks()` (*azureenergylabelerlib.entities.DefenderForCloud static method*), 17  
`validate_subscription_ids()` (*in module azureenergylabelerlib.validations*), 23

## W

`worst_label` (*azureenergylabelerlib.labels.AggregateEnergyLabel attribute*), 21